

NITRO THINNER RC-01

Product intended for professional use.

PRODUCT RANGE:

- 43 311 NITRO Thinner RC-01 1L
- 43 312 NITRO Thinner RC-01 5L

CHARACTERISTICS:

A high-quality agent intended for thinning nitrocellulose products (paints, varnishes, enamels, etc.) to working viscosities. It can also be used for washing and cleaning the painting equipment and stained elements after painting.

PHYSICAL AND CHEMICAL PROPERTIES:

Colourless liquid with a characteristic, aromatic smell. Maximum volatile organic compounds content in ready-to-use product: < 850 g/L.

APPLICATIONS

- nitrocellulose paints and varnishes,
- cleaning painting and varnishing equipment.

METHOD OF USE:

THINNING – Follow the instructions of the manufacturer of the product to be thinned. Perform a test with a small amount of the product.

CLEANING brushes, tools and stained components – Follow the recommendations of the equipment manufacturer, otherwise immerse the components to be cleaned in the thinner or wipe with a cloth or a brush soaked in the thinner. Then wipe with a clean, dry cloth. Repeat until the desired effect is obtained.

STORAGE:

Store in original, tightly closed containers, in a dry, cool place, away from sources of heat and ignition, at a temperature from 5 to 20°C. Do not expose to direct sunlight.

WARRANTY PERIOD:

The warranty period is given on the product label.

HEALTH & SAFETY RECOMMENDATIONS:

Product safety data sheet and applicable health and safety regulations for working with chemical agents.



The information contained in this sheet has been developed based on our knowledge and practice. However, no individual product properties can be guaranteed under different conditions of use beyond our control. Therefore, we cannot accept full responsibility for the results obtained in specific conditions of use. It is necessary to test the application of the product on a small area, due to the potential differences in the product performance depending on the substrate on which it is applied. We guarantee proper quality when used in accordance with the instructions contained in this Technical Data Sheet.